## CLICK ANYWHERE on THIS PAGE to RETURN to TOILET REPAIR GUIDES at InspectApedia.com

ES-WAS

## For Residential Applications

Job Name	Contractor
Job Location	Approval
Engineer	Contractor's P.O. No
Approval	Representative

# Model WAS Anti-Sweat Valve for Water Closets

## Size: 1/2" (15mm)

Model WAS Anti-Sweat Valve for Water Closets mixes hot water with cold supply water to avoid condensation build up on the outside of the water closet and to temper the water inside the toilet tank.

#### Features

- Cast brass
- Compression end or IPS connections


## Specifications

Valve shall be manufactured out of cast brass and have compression ends or IPS connections. Valve shall have a maximum temperature of 180° F. Valve shall be a Watts Series WAS.

#### Pressure – Temperature

Maximum Temperature: 180°F (82°C)





## Dimensions - Weights

SIZE (DN)			A B E 1		WEIGHT		GHT				
in	тт	in	тт	in	тт	in	тт	in	тт	lbs	kgs
1⁄2	15	3	76	<b>3</b> ¾	86	21/8	54	1½	38	1.2	.94

#### NOTICE

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of this product.

Watts product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Watts Technical Service. Watts reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on Watts products previously or subsequently sold.



USA: T: (978) 689-6066 • F: (978) 975-8350 • Watts.com Canada: T: (905) 332-4090 • F: (905) 332-7068 • Watts.ca Latin America: T: (52) 81-1001-8600 • Watts.com